

APPLICATION NO. 09/500,132

26646

United States Patent and Trademark Office

FILING DATE

02/08/2000

7590 **KENYON & KENYON**

ONE BROADWAY

NEW YORK, NY 10004

03/11/2004



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

ATTORNEY DOCKET NO. CONFIRMATION NO. 11197/1 2161 **EXAMINER**

> SIMONE, CATHERINE A ART UNIT PAPER NUMBER

1772

DATE MAILED: 03/11/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

FIRST NAMED INVENTOR

Kiyoshi Iseki

	_	AS
	Application No.	Applicant(s)
Office Action Summary	09/500,132	ISEKI ET AL.
	Examiner	Art Unit
	Catherine Simone	1772
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply		
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tir y within the statutory minimum of thirty (30) day vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).
Status		
 1) ⊠ Responsive to communication(s) filed on 12/2/2 2a) ☐ This action is FINAL. 2b) ⊠ This 3) ☐ Since this application is in condition for allowar closed in accordance with the practice under E 	action is non-final. nce except for formal matters, pro	
Disposition of Claims		
 4) Claim(s) 1-3 and 5-19 is/are pending in the appearance of the above claim(s) 5-19 is/are withdrawn 5) Claim(s) is/are allowed. 6) Claim(s) 1-3 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or 	n from consideration.	
Application Papers		
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated any not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the drawing(s) be held in abeyance. Serion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati rity documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachmont/s\		
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 17 and 27.	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	

Application/Control Number: 09/500,132

Art Unit: 1772

DETAILED ACTION

This action is a supplemental action of the non-final action mailed 12/19/03 due to the cross-mailing of the supplemental amendment sent by applicant prior to 12/19/03.

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Misiano et al. (5,462,779).

Misiano et al. discloses a functional roll film comprising a transparent plastic film having gas properties (Fig. 1, #10 or Fig. 2, #20), and having an inorganic oxide layer on at least one surface (Fig. 1, #12 or #11, or Fig. 2, #21) wherein the inorganic oxide layer comprises a composite oxide having at least two components (Fig. 2, #21). However, Misiano et al. fails to disclose the maximum thickness of the inorganic oxide layer being equal to or less than 1.5 times the minimum thickness of the inorganic oxide layer among layer thickness values measured in one roll unit of the plastic film and the roll unit containing a film having a width of at least 400 mm and a length of at least 4,000 m and a width of at least 1,000 mm and a length of at least 15,000 m, and the difference between a maximum wt% and a minimum wt% of one component of the composite oxide in the one roll unit of the plastic film being within 20 wt%. Misiano et al. does teach the inorganic oxide layer having a uniform thickness. Therefore, the optimum range

Art Unit: 1772

for the thickness of the inorganic oxide layer and the optimum range for the wt% of one component of the composite oxide would be readily determined through routine experimentation by one having ordinary skill in the art depending on the desired end results as shown by Misiano et al. Thus, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to have modified the thickness of the inorganic oxide layer in Misiano et al. to have a maximum thickness equal to or less than 1.5 times the minimum thickness of the inorganic oxide layer and to have modified the wt% of the one component of the composite oxide in Misiano et al. to have the difference between a maximum wt% and a minimum wt% within 20 wt%, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art absence of showing unexpected results. *In re Boesch and Slaney*, 205 USPQ 215 (CCPA 1980).

Furthermore, one of ordinary skill in the art would have recognized the length and width of a packaging film to be sized depending on the object that is being packaged. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the packaging film of Misiano et al. be sized to having a width of at least 400 mm and a length of at least 4,000 m or a width of at least 1,000 mm and a length of at least 15,000 m, since the size would depend on the object being packaged. Additionally, it has been held that claims directed to a lumber package "of appreciable size and weight requiring handling by a lift truck" were held unpatentable over prior art lumber packages which could be lifted by hand because limitations relating to the size of the package were not sufficient to patentably distinguish over the prior art. *In re Rose*, 220 F.2d 459, 105 USPQ 237 (CCPA 1955).

Application/Control Number: 09/500,132 Page 4

Art Unit: 1772

2. Claims 1-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Imai et al. (5,378,506).

Imai et al. discloses a functional roll film comprising a transparent plastic film having gas properties (see col. 5, lines 54-61), and having an inorganic oxide layer on at least one surface (see col. 6, lines 36-41) wherein the inorganic oxide layer comprises a composite oxide having at least two components (see col. 6, lines 40-41). However, Imai et al. fails to disclose the maximum thickness of the inorganic oxide layer being equal to or less than 1.5 times the minimum thickness of the inorganic oxide layer among layer thickness values measured in one roll unit of the plastic film and the roll unit containing a film having a width of at least 400 mm and a length of at least 4,000 m and a width of at least 1,000 mm and a length of at least 15,000 m, and the difference between a maximum wt% and a minimum wt% of one component of the composite oxide in the one roll unit of the plastic film being within 20 wt%. Imai et al. does teach the inorganic oxide layer having a uniform thickness. Therefore, the optimum range for the thickness of the inorganic oxide layer and the optimum range for the wt% of one component of the composite oxide would be readily determined through routine experimentation by one having ordinary skill in the art depending on the desired end results as shown by Imai et al. Thus, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to have modified the thickness of the inorganic oxide layer in Imai et al. to have a maximum thickness equal to or less than 1.5 times the minimum thickness of the inorganic oxide layer and to have modified the wt% of the one component of the composite oxide in Imai et al. to have the difference between a maximum wt% and a minimum wt% within 20 wt%, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering

Art Unit: 1772

the optimum or workable ranges involves only routine skill in the art absence of showing unexpected results. *In re Boesch and Slaney*, 205 USPQ 215 (CCPA 1980).

Furthermore, one of ordinary skill in the art would have recognized the length and width of a packaging film to be sized depending on the object that is being packaged. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the packaging film of Imai et al. be sized to having a width of at least 400 mm and a length of at least 4,000 m or a width of at least 1,000 mm and a length of at least 15,000 m, since the size of the film would depend on the object being packaged. Additionally, it has been held that claims directed to a lumber package "of appreciable size and weight requiring handling by a lift truck" were held unpatentable over prior art lumber packages which could be lifted by hand because limitations relating to the size of the package were not sufficient to patentably distinguish over the prior art. *In re Rose*, 220 F.2d 459, 105 USPQ 237 (CCPA 1955).

3. Claims 1-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsuda et al. (JP 06-330318; refer to computer translation).

Matsuda et al. discloses a functional roll film comprising a transparent plastic film (Drawing 2, #4) having gas properties, and having an inorganic oxide layer on at least one surface (Drawing 2, #16) wherein the inorganic oxide layer comprises a composite oxide having at least two components (see page 5, paragraph 0033, lines 1-5). However, Matsuda et al. fails to disclose the maximum thickness of the inorganic oxide layer being equal to or less than 1.5 times the minimum thickness of the inorganic oxide layer among layer thickness values measured in one roll unit of the plastic film and the roll unit containing a film having a width of at least 400 mm and a length of at least 4,000 m and a width of at least 1,000 mm and a length of at least

Äpplication/Control Number: 09/500,132

Art Unit: 1772

15,000 m, and the difference between a maximum wt% and a minimum wt% of one component of the composite oxide in the one roll unit of the plastic film being within 20 wt%. Matsuda et al. does teach the inorganic oxide layer having a uniform thickness. Therefore, the optimum range for the thickness of the inorganic oxide layer and the optimum range for the wt% of one component of the composite oxide would be readily determined through routine experimentation by one having ordinary skill in the art depending on the desired end results as shown by Matsuda et al. Thus, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to have modified the thickness of the inorganic oxide layer in Matsuda et al. to have a maximum thickness equal to or less than 1.5 times the minimum thickness of the inorganic oxide layer and to have modified the wt% of the one component of the composite oxide in Matsuda et al. to have the difference between a maximum wt% and a minimum wt% within 20 wt%, since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art absence of showing unexpected results. In re Boesch and Slaney, 205 USPQ 215 (CCPA 1980).

Page 6

Furthermore, one of ordinary skill in the art would have recognized the length and width of a packaging film to be sized depending on the object that is being packaged. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the packaging film of Matsuda et al. be sized to having a width of at least 400 mm and a length of at least 4,000 m or a width of at least 1,000 mm and a length of at least 15,000 m, since the size of the film would depend on the object being packaged. Additionally, it has been held that claims directed to a lumber package "of appreciable size and weight requiring handling by a

Application/Control Number: 09/500,132 Page 7

Art Unit: 1772

lift truck" were held unpatentable over prior art lumber packages which could be lifted by hand because limitations relating to the size of the package were not sufficient to patentably distinguish over the prior art. *In re Rose*, 220 F.2d 459, 105 USPQ 237 (CCPA 1955).

Response to Arguments

4. Applicant's arguments with respect to claims 1-3 have been considered but are moot in view of the new ground(s) of rejection.

Response to Amendment

5. The declaration under 37 CFR 1.132 filed 1/8/04 is sufficient to overcome the 35 U.S.C. 102 rejection of claim 1 as being anticipated by Misiano et al. (US 5,462,779).

Conclusion

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Catherine Simone whose telephone number is (571)272-1501. The examiner can normally be reached on 9:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Harold Pyon can be reached on (571) 272-1498. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/500,132

Art Unit: 1772

17.72

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Catherine Simone Examiner Art Unit 1772

March 2, 2004

HAROLD PYON SUPERVISORY PATENT EXAMINER 3/4/04

Page 8